

## **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

## Glaze GL-5040 GL-35040 Turkish cyaan

thandel BV

Revision date: 01.03.2018 Product code: 5040 Page 1 of 7

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

0487 571667

## 1.1. Product identifier

Glaze GL-5040 Turkish cyaan

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

## Use of the substance/mixture

Manufacture of ceramic coatings suited for firing ceramics.

## 1.3. Details of the supplier of the safety data sheet

Company name: Ve-ka groothandel b.v.
Street: Industrieweg 7a

Place: 6621 BD Dreumel

Telephone: 0487 571776

e-mail: info@ve-ka.nl

Contact person: Babette Duller

e-mail: info@ve-ka.nl

Internet: www.ve-ka nl.

# 1.4. Emergency telephone

number:

## **SECTION 2: Hazards identification**



## **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

## 2.1. Classification of the substance or mixture

## Regulation (EC) No. 1272/2008 Hazard

categories:

Hazardous to the aquatic environment: Aquatic Acute 1

Hazardous to the aquatic environment: Aquatic Chronic 2 Hazard

Statements:

Very toxic to aquatic life.

Toxic to aquatic life with long lasting effects.

#### 2.2. Label elements

## Regulation (EC) No. 1272/2008

Hazard components for labelling copper(II)

oxide

Signal word: Warning



Pictograms:

## **Hazard statements**

H410 Very toxic to aquatic life with long lasting effects.

## **Precautionary statements**

P273 Avoid release to the environment.

P391 Collect spillage.

P501 Dispose of contents/container to according to local regulations to a

## 2.3. Other hazards

No information available.

# **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

#### **Chemical characterization**

Mixture of frits (silicate glasses), mineral oxides, metal oxides and inorganic pigments.

## **Hazardous components**

CAS No	Chemical name			Quantity
	EC No VE-Ka	Index No	REACH No	
	GHS Classification			
1317-38-0	copper(II) oxide			< 2,5 %
	215-269-1	029-016-00-6		



## Glaze GL-5040 turkish cyaan

Revision date: 01.03.2018 Product code: 5040 Page 2 of

Ve-Ka Groothandel BV

## **Safety Data Sheet**

#### according to Regulation (EC) No 1907/2006

Aquatic Acute 1 (M-Factor = 100), Aquatic Chronic 1 (M-Factor = 100); H400 H410	

Full text of H and EUH statements: see section 16.

#### **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

#### General information

Remove contaminated or saturated clothing.

#### After inhalation

Take affected persons out into the fresh air.

#### After contact with skin

Precautionally wash off with soap and water.

#### After contact with eyes

In case of contact with eyes rinse thoroughly with water.

#### After ingestion

In the event of symptoms refer for medical treatment.

#### 4.2. Most important symptoms and effects, both acute and delayed

no data available

## **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

#### Suitable extinguishing media

The product itself does not burn. Co-ordinate fire-fighting measures to the fire surroundings.

#### Unsuitable extinguishing media

Full water jet

## 5.2. Special hazards arising from the substance or mixture

none known

## 5.3. Advice for firefighters

Employ protective equipment commonly used in the event of fire.

## **Additional information**

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Contaminated fire-extinguishing water must be disposed of in accordance with the regulations issued by the appropriate local authorities.

## **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment. Provide adequate ventilation. Avoid dust formation.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities. Avoid release to the environment.



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

## Glaze GL-5040 Trukish cyaan

Page 3 of

Revision date: 01.03.2018 Product code: 5040 7

## 6.3. Methods and material for containment and cleaning up

Take up mechanically, placing in appropriate containers for disposal.

#### 6.4. Reference to other sections

Treat the recovered material as prescribed in the section on waste disposal.

## **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

#### Advice on safe handling

When using do not eat, drink or smoke. Wash hands before breaks and after work. Do not leave children unattended while using the material. Open windows to ensure natural ventilation.

# Advice on protection against fire and explosion Avoid

generation of dust.

#### Further information on handling

Open windows to ensure natural ventilation.

## 7.2. Conditions for safe storage, including any incompatibilities

## Requirements for storage rooms and vessels Keep

container tightly closed.

Keep out of the reach of children.

## Hints on joint storage

No special restrictions on substances.

## Further information on storage conditions

Product is water-pollutive. Observe the national and local regulations concerning handling and storage.

#### 7.3. Specific end use(s) No

data available

## **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

## **DNEL/DMEL values**

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
1317-38-0	copper(II) oxide			
Worker DNEL, long-term		dermal		137000 mg/kg bw/day



## Glaze GL-5040 turkish cyaan

Revision date: 01.03.2018 Product code: 5040 Page 4 of

Ve-Ka Groothandel BV

## **Safety Data Sheet**

## according to Regulation (EC) No 1907/2006

#### **PNEC** values

CAS No	Substance			
Environmental compartment Value				
1317-38-0 copper(II) oxide				
Freshwater		0,0078 mg/l		
Marine water		0,0052 mg/l		
Freshwater sed	ment	0,087 mg/l		
Marine sedimer	t	0,676 mg/l		
Soil		0,0065 mg/kg		

## 8.2. Exposure controls

#### Appropriate engineering controls

If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

#### Protective and hygiene measures

Wear personal protection equipment. When using do not eat, drink or smoke. Avoid contact with skin.

## Eye/face protection

If necessary: Wear tightly sealed safety glasses.

## Hand protection

Wear protective gloves made of the following materials: NBR (Nitrile rubber).

#### Skin protection

Wear personal protection equipment.

#### **Environmental exposure controls**

Do not allow to enter into surface water or drains.

#### **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and cher

## properties

Physical state:

Colour: Powder

Odour: light grey odourless

pH-Value: No data available

Changes in the physical state

Melting point:

No data available

Initial boiling point and boiling range: not applicable

Flash point: not applicable



## **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

Flammability Solid:

No data available

Water solubility: not determined

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Stable under recommended storage conditions.

## 10.2. Chemical stability

No decomposition if stored normally.

## 10.3. Possibility of hazardous reactions

no data available

## 10.4. Conditions to avoid

No dangerous reaction known under conditions of normal use.

## 10.5. Incompatible materials none

known

## 10.6. Hazardous decomposition products none

known

## **SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects

Acute toxicity Acute, oral toxicity frits, chemicals; CAS-Nr.: 65997-18-4; EG-Nr.: 266-047-6: LD50: > 2.000,00 mg/kg (Species: Rat)

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
1317-38-0	copper(II) oxide				
	oral	LD50 > 2500 mg/kg	Rat		
	dermal	LD50 > 2000 mg/kg	Rat	dal RV	

## Irritation and corrosivity

Powder can cause localised skin irritation in folds of the skin or under tight clothing.

## **SECTION 12: Ecological information**

## 12.1. Toxicity

Toxic to aquatic life with long lasting effects.

## 12.2. Persistence and degradability

no data available



# Glaze GL-5040 trukish cyaan

Revision date: 01.03.2018 Product code: 5040 Page 5 of

Ve-Ka Groothandel BV

## **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

#### 12.3. Bioaccumulative potential

no data available

#### 12.4. Mobility in soil

no data available

## 12.5. Results of PBT and vPvB assessment

no data available

## 12.6. Other adverse effects

Toxic to aquatic life with long lasting effects.

Do not allow to enter into surface water or drains.

#### **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

## **Disposal recommendations**

Collect in closed and suitable containers for disposal. Prevent penetration into soil, stretches of water and drainage systems.

#### Contaminated packaging

Dispose of as unused product. If there is product residue in the emptied container, follow directions for handling on the container's label.

# **SECTION 14: Transport information**

Land transport (ADR/RID)

**14.1. UN number:** UN 3077

14.2. UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

(copper(II) oxide)

14.3. Transport hazard class(es):

14.4. Packing group:

Hazard label: 9

9

Classification code: M7

Special Provisions: 274 335 375 601

## Glaze GL-5040 trukish cyaan

Revision date: 01.03.2018 Product code: 5040 Page 6 of 7

Limited quantity: 5 kg

Excepted quantity: E1



## **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

Transport category: 3

Hazard No: 90

Tunnel restriction code:

Inland waterways transport (ADN)

<u>14.1. UN number:</u> UN 3077

**14.2. UN proper shipping name:** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

(copper(II) oxide)

14.3. Transport hazard class(es): 9

14.4. Packing group:

Hazard label: 9



Classification code:

Special Provisions: 274 335 375 601

Limited quantity: 5 kg

Excepted quantity: E1

Marine transport (IMDG) 14.1.

UN 3077

14.2. UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

(Copper(II) Oxide)

14.3. Transport hazard class(es): 9

14.4. Packing group:

Hazard label: 9



Ve-Ka Groothandel BV

Special Provisions: 274, 335, 966, 967, 969

Limited quantity: 5 kg

Excepted quantity: E1

EmS: F-A, S-F



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number:

UN 3077

14.2. UN proper shipping name:

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

(Copper(II) Oxide)

14.3. Transport hazard class(es):

9

14.4. Packing group:

Ш

Hazard label:

9



**Special Provisions:** 

A97 A158 A179 A197

Limited quantity Passenger:

30 kg G

Passenger LQ:

Y956

Excepted quantity:

E1

IATA-packing instructions - Passenger:

956

IATA-max. quantity - Passenger:

400 kg

Glaze GL-5040 turkish cyaan

Revision date: 01.03.2018

Product code: 5040

Page 7 of 7

IATA-packing instructions - Cargo:

956

IATA-max. quantity - Cargo:

400 kg

14.5. Environmental hazards

yes

**ENVIRONMENTALLY HAZARDOUS:** 

\*2

**SECTION 15: Regulatory information** 

15.1. Safety, health and environmental

<u>regula</u>

ions/legislation specific for the substance or mixture

**National regulatory information** 

Water hazard class (D):

3 - strongly hazardous to water

**SECTION 16: Other information** 



## **Safety Data Sheet**

# according to Regulation (EC) No 1907/2006

## Changes

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.


#### Relevant H and EUH statements (number and full text)

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects. H411

Toxic to aquatic life with long lasting effects.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)



Ve-Ka Groothandel BV